

## COVERSHEET

## Planned document changes:

**Briefly:**

---


No planned changes.

## Document changes:

<b>Date:</b>	<b>Change:</b>	<b>Rev. after change:</b>
2021-06-28	Missing washer for EC-Oil added.	D
2020-10-27	Photos added.	C
2019-01-07	EC-Oil options & Partslist updated.	B
2017-08-30	Layout/irrelevant.	A
2017-07-05	New instruction.	-

# EC226 ECHF - QS70 Top part

POS	DESCRIPTION	PART	QTY	COMMENTS
1	Top part QS70 ECHF EC226	1031483	1	
2	Hose terminal 1/4+3/8	1042960	2	



# EC226 ECHF - QS70 Top part

**P** = 3  
**T** = 3

FEED  
3/4" (Std)

Main Feed





POS	DESCRIPTION	PART	QTY	COMMENTS
3	Use washer, adapter, nut: POS.4, 5, 6			
4	Washer NL 1"	611095	2	
5	Adapter 1260-12-57 (3/4")	712227	2	
6	Check nut 1270-12 (3/4")	712211	2	
	Attach feed hoses from control system			(a & b represents channels on feed block)

POS in order of assembly

Standard

Feed Right

Feed Left



# EC226 ECHF - QS70 Top part


- P** = 7
- T** = 7
- R** = 13
- L** = 17

FEED

1/2"

ss5, ss10

Standard




POS	DESCRIPTION	PART	QTY	COMMENTS
7	Use washer, adapters, o-ring, nut: POS.8, 9, 10, 11, 12		1	
8	Washer NL 20mm	611098	2	
9	Adapter 1260-08-45 (1/2")	710263	2	
10	O-ring 18.64x3,53 HNBR/75	712415	4	
11	Counternut 1270-08 (1/2")	710254	1	
12	Adapter 703-08-08 (1/2")	710221	2	
13	Use washer, adapter, nut: POS.14, 15, 16			
14	Washer NL 16mm	611044	2	
15	Adapter 1260-06-32 (3/8")	710242	2	
16	Counternut 1270-06 (3/8")	710252	2	
17	Use washer, adapter, nut: POS.18, 19, 20			
18	Washer NL 1/2"	611096	2	
19	Adapter 1260-04-04 (1/4")	710240	2	
20	Counternut 1270-04 (1/4")	710250	2	
	Attach feed hoses from control system			(a & b represents channels on feed block)

POS in order of assembly



ss9IQ

Standard



ss9SQ

Standard



# EC226 ECHF - QS70 Top part

Drawing No: 1043337 /D

- P** = 22
- T** = 22
- cap** = 23
- R** = 25


**FEED**  
Top EC-Oil

ss5, ss10

2 hyd. (Std)

4 Hyd.  
2Bl.Feed


4 Hyd.



ss9


4 hyd. (Std)

2Bl.Feed



POS	DESCRIPTION	PART	QTY	COMMENTS
21	Plug 70125-12 (3/4")	711532	2	
22	Adapter 4.01-08-12 90° (1/2"-3/4")	710155	2	QTY depends on config. (2-4)
23	Use adapter, cap: POS.22, 24			
24	Protective cap	711627	2	Not for SX
25	Use washer, adapters: POS.26, 27, 28			
26	Washer GBR06 3/8	710703	2	
27	Adapter 234-12-06	710234	2	
28	Adapter 4.01-06-06 90° (3/8")	710152	2	
	Attach feed hoses from control system			(a & b represents channels on feed block)



POS in order of assembly



FEED  
3/4" (Std)

POS	DESCRIPTION	PART	QTY	COMMENTS
	Attach feed hoses from control system			(a & b represents channels on feed block)


POS in order of assembly



FEED  
1/2"

POS	DESCRIPTION	PART	QTY	COMMENTS
	Attach feed hoses from control system			(a & b represents channels on feed block)

POS in order of assembly



Functions according to control system

**FEED**  
 Top EC-Oil  
 ss5, ss10

POS	DESCRIPTION	PART	QTY	COMMENTS
29	Cable tie 7,8x360	1021587	1	
	Attach feed hoses from control system			(a & b represents channels on feed block)

POS in order of assembly

