

EC226 CW30(S)EC GR20 ECHF

COVERSHEET



Planned document changes:


Breifly:

Plug POS.4 replaced by plug 7001657 used with 3/8" Tredo.

Document changes:

Date:	Change:	Rev. after change:
2019-07-10	New instruction.	-

EC226 CW30(S)EC GR20 ECHF




POS	DESCRIPTION	PART	QTY	COMMENTS
1	See p.3 connection block config.			
2	Assemble break support			See separate instruction
10	Quick hitch CW30(S)EC EC226 ECHF	1041836	1	
11	Grease the ring		1	
12	Feather Key	650102	6	
13	MC6S M20x140		18	Torque: 649Nm
14	O-ring 319,3x5,7	710908	1	
15	Torque tighten quick hitch to rotator frame, six holes. Rotate to access the remaining holes			
16	Pipe plug M36	650408	6	Part of rotator frame assembly
17	O-ring 6,07x1,78	712422	2	Part of rotator frame assembly
18	O-ring 15,6x1,78	710912	1	Part of rotator frame assembly
19	O-ring 12,42x1,78	710973	4	Part of rotator frame assembly
20	Connection block ECHF	1028391	1	Part of rotator frame assembly
21	Washer NL 10mm	611041	6	Part of rotator frame assembly
22	MC6S M10x50	610457	2	Part of rotator frame assembly

EC226 CW30(S)EC GR20 ECHF


POS	DESCRIPTION	PART	QTY	COMMENTS
3	Plug 70125-08 (1/2")		1	
4	Plug 70125-06 (3/8")	711504	2	
5	Washer GBR04 1/4	710702	10	
6	Plug 153-04 (1/4")	711505	4	
7	Adapter 138-04-29 (compact 136-04-04) (1/4")	710135	6	
8	Adapter 136-08-08 (1/2")	710108	2	
9	Adapter 403-04-06 (1/4"-3/8")	712224	2	

POS in order of assembly




EC226 CW30(S)EC GR20 ECHF


Lock:
Close




Lock:
Open





Grab:



Extra:
Standard



POS	DESCRIPTION	PART	QTY	COMMENTS
5	Washer GBR04 1/4	710702	10	
7	Adapter 138-04-29 (compact 136-04-04) (1/4")	710135	6	
8	Adapter 136-08-08 (1/2")	710108	2	
9	Adapter 403-04-06 (1/4"-3/8")	712224	2	
24	Hose lock	740103	2	
25	Hose grab short	740237	2	
26	Hose grab long		2	RM-04 cc.674 (kl.620mm) 4512-04-04 / 4511-04-04
27	Hose extra	740319	2	
28	Counternut 1270-08 (1/2")		4	
29	Adapter 1260-08-45 (1/2")	710263	4	
30	Washer GBR08 1/2	710704	4	
31	Quick coupling 1/2"	790115	4	
32	Dust protection 1/2" Male 5026	790121	2	



See instruction,
Standard components