

COVERSHEET

Planned document changes:

Briefly:

2025-10-01. POS.10 replaced by 1083142. (Fully backwards compatible).

Document changes:

Date:	Change:	Rev. after change:
2026-02-19	EC314 added.	B
2024-02-07	Layout/irrelevant.	A
2023-05-10	New document.	-


Readers note:

 Indicates instruction.


 Represents Hose.

Dashed lines for overview, mounts
on other pages/assemblies.

Std. Hitch components - S60



EC314, EC319	POS	DESCRIPTION	PART	QTY	COMMENTS
	1	Inductive sensor QSM	1048262	2	Connect to slip ring
	2	Hex nut			(Incl. with sensor)
	3	Protection lid, inductive sensor	8000056	1	
	4	Cover plug GL26	1068462	1	
	5	Clamp half M12 sensor	1065219	2	
	6	Screw MC6S M5x25 12.9	610402	2	
	7	Small cover plate QSM60 V3	1069623	2	
	8	Washer NL 6mm	611039	6	
	9	Screw MC6S M6x12 12.9 ZFSHL	6000352	6	
	10	Lockcyl. QSM60 V4 Comp. Forged QSC	1052711	1	(POS.1, 11-17 incl.)
	11	Lock cylinder QS60 V4 Forged	1045379	1	
	12	Spring 16x175	1049973	2	
	13	Ejector	1036405	2	
	14	Spacer	1036406	2	
	15	Sensor Plate	1036413	1	Assemble with sligth play
	16	Flat Washer	611005	2	
	17	Screw M6S M8x30 8,8 FZB	611538	2	Loxeal 83-52
	18	Washer GBR04 1/4	710702	2	
	19	Plug 1/4"	711505	2	
	20	Spring 25x64	1024022	2	
	21	Spring 25x305	1024021	2	
	22	Steering	1025621	2	Loxeal 53-11
	23	Hook V2 QS60 Cast	1046654	1	
	24	Screw MLC6S M16x60 10.9	610721	1	Loxeal 83-52
	25	Indicator pin QS 610mm	1036201	1	Cut to fit
	26	Washer Starlock 6mm	6000415	1	
	27	Screw MF6S M6x16 10.9 untreated	610604	1	Loxeal 83-52
	28	Washer NL 10mm	611041	4	
	29	Screw MC6S M10x30 12.9 ZFSHL	612018	4	




POS in order of assembly

Sensor Cylinder

EC314, EC319

POS	DESCRIPTION	PART	QTY	COMMENTS
1	Inductive sensor QSM	1048262	2	Connect to slip ring
15	Sensor Plate	1036413	1	Assemble with sligth play
30	Rubber Steel Clamp Ø12	790155	1	
31	Screw MC6S 5x16 12.9	610401	1	Loxeal 55-02
●	Use cable ties			

POS in order of assembly



ECO Cable



Sensor Hook



Sensor Cables

