

EC219 ECHF - ss9SQ Hoses

COVERSHEET




Planned document changes:

Breifly:
2024-11-15. Add to POS.5: Torque: 79Nm.


Document changes:

Date:	Change:	Rev. after change:
2020-09-16	SW33 hoses added.	C
2018-09-12	Photos for option ST added.	B
2018-06-27	Layout/irrelevant.	A
2018-04-04	New instruction.	-


EC219 ECHF - ss9SQ Hoses



POS	DESCRIPTION	PART	QTY	COMMENTS
1	Connection block P reducer +Dump	1027707	1	(Dump & POS.2 included)
2	Dual relief valve 1CLR100	730287	1	
3	O-ring 15,54x2,62	712423	2	
4	Washer NL 10mm	611041	8	QTY: 4 part of make up
5	Screw MC6S 10x45	610589	4	
6	For option SG, ST, SX			See p.7 for instruction
7	O-ring 7,65x1,78	710960	4	
8	Connection block SQ	1009586	1	Mount before adapters and feed hoses
10	Screw MC6S 5x30	610403	4	Torque: 9,7Nm
11	Sealing washer 3/8"	710703	4	QTY: 5 for option ST
12	Adapter 3/8"	710106	4	
13	Connection block 1/2"	405670	1	
14	Plug 3/8"	711504	2	QTY: 6 for EC219R
38	O-ring 9,25x1,78	710901	4	
39	Screw MC6S 5x40	610405	4	Torque: 9,7Nm
42	Protective cover EC219 ECHF right	1027796	1	
43	Protective cover EC219 ECHF left	1027795	1	
44	Screw M6S 10x25	610142	4	




EC219R:




Replaces
POS.11-12


EC219 ECHF - ss9SQ Hoses




POS	DESCRIPTION	PART	QTY	COMMENTS
6	For option SG, ST, SX			See p.7 for instruction
9	Adapter 90°	710151	2	
11	Sealing washer 3/8"	710703	4	QTY: 5 for option ST
12	Adapter 3/8"	710106	4	
15	Sealing washer 3/4"	710706	3	
16	Adapter 3/4"	710218	1	
17	Adapter 3/4" male - male	710126	2	
18	Adapter 3/4" 90°	7000010	2	
21	Sealing washer 1/2"	710704	2	
22	Adapter 139-06-08 3/8"-1/2	710122	2	
23	Adapter 3/8"-1/2" 90°	710157	1	Replaces POS.21-22 for Right/Left
24	For Feed Right/Left - QS60, UNI			Additional hose, see "Top part"
25	Hose Feed 3/4" - QS60, UNI, SW33	7000028	2	
26	Hose Feed 3/4" - S1	7000063	2	QTY: 1 for Feed Right/Left
27	Hose Feed 3/4" Right/Left - S1	7000065	1	Feed Right: Mount on left side Feed Left: Mount on right side
32	Hose Rotation a	742675	1	
33	Hose Rotation b	7000672	1	
34	Hose Rotation Right/Left	7000062	1	Replaces "a" for Rot. Left Replaces "b" for Rot. Right
35	Hose Lock a/b	7000032	2	(Same for Lock Right)
36	Hose Lock Left	7000033	1	Replaces "b" for Lock Left
37	Hose Tilt	7000027	4	



EC219 ECHF - ss9SQ Hoses




POS	DESCRIPTION	PART	QTY	COMMENTS
6	For option SG, ST, SX			See p.7 for instruction
9	Adapter 90°	710151	2	
11	Sealing washer 3/8"	710703	4	QTY: 5 for option ST
12	Adapter 3/8"	710106	4	
15	Sealing washer 3/4"	710706	3	
19	Adapter 1/2" - 3/4"	710109	2	
20	Adapter 1/2" 90°	712209	2	
21	Sealing washer 1/2"	710704	2	
22	Adapter 139-06-08 3/8"-1/2	710122	2	
23	Adapter 3/8"-1/2" 90°	710157	1	Replaces POS.21-22 for Right/Left
24	For Feed Right/Left - QS60, UNI			Additional hose, see "Top part"
28	Hose Feed 1/2"	742620	2	QTY: 1 for Feed Right/Left
29	Hose Feed 1/2" Right/Left	742657	1	Feed Right: Mount on left side Feed Left: Mount on right side
30	Hose Feed 1/2" - S1	742621	2	QTY: 1 for Feed Right/Left
31	Hose Feed 1/2" Right/Left - S1			
32	Hose Rotation a	742675	1	
33	Hose Rotation b	7000672	1	
34	Hose Rotation Right/Left	7000062	1	Replaces "a" for Rot. Left Replaces "b" for Rot. Right
35	Hose Lock a/b	7000032	2	(Same for Lock Right)
36	Hose Lock Left	7000033	1	Replaces "b" for Lock Left
37	Hose Tilt	7000027	4	




EC219 ECHF - ss9SQ Hoses

3/4" (Std)




POS	DESCRIPTION	PART	QTY	COMMENTS
6	For option SG, ST, SX			See p.7 for instruction
24	For Feed Right/Left - QS60, UNI			Additional hose, see "Top part"
25	Hose Feed 3/4" - QS60, UNI, SW33	7000028	2	
26	Hose Feed 3/4" - S1	7000063	2	QTY: 1 for Feed Right/Left
27	Hose Feed 3/4" Right/Left - S1	7000065	1	Feed Right: Mount on left side Feed Left: Mount on right side
32	Hose Rotation a	742675	1	
33	Hose Rotation b	7000672	1	
34	Hose Rotation Right/Left	7000062	1	Replaces "a" for Rot. Left Replaces "b" for Rot. Right
35	Hose Lock a/b	7000032	2	(Same for Lock Right)
36	Hose Lock Left	7000033	1	Replaces "b" for Lock Left
37	Hose Tilt	7000027	4	

Rot. Right / Lock Right:




Rot. Left / Lock Left:



Dashed lines for overview, mounts on other pages/assemblies. \ indicates instruction. represents hose.


EC219 ECHF - ss9SQ Hoses

1/2"




POS	DESCRIPTION	PART	QTY	COMMENTS
6	For option SG, ST, SX			See p.7 for instruction
28	Hose Feed 1/2"	742620	2	QTY: 1 for Feed Right/Left
29	Hose Feed 1/2" Right/Left	742657	1	Feed Right: Mount on left side Feed Left: Mount on right side
30	Hose Feed 1/2" - S1	742621	2	QTY: 1 for Feed Right/Left
31	Hose Feed 1/2" Right/Left - S1			
32	Hose Rotation a	742675	1	
33	Hose Rotation b	7000672	1	
34	Hose Rotation Right/Left	7000062	1	Replaces "a" for Rot. Left Replaces "b" for Rot. Right
35	Hose Lock a/b	7000032	2	(Same for Lock Right)
36	Hose Lock Left	7000033	1	Replaces "b" for Lock Left
37	Hose Tilt	7000027	4	

Rot. Right / Lock Right:



Rot. Left / Lock Left:



Dashed lines for overview, mounts on other pages/assemblies.  indicates instruction.  represents hose.

EC219 ECHF - ss9SQ Hoses

SG: special / options

Photo needed:
Block & adapters

SX:

Photo needed:
Block & adapters

POS	DESCRIPTION	PART	QTY	COMMENTS
11	Sealing washer 3/8"	710703	4	QTY: 5 for option ST
13	Connection block 1/2"	405670	1	
14	Plug 3/8"	711504	2	QTY: 6 for EC219R
21	Sealing washer 1/2"	710704	2	
22	Adapter 139-06-08 3/8"-1/2	710122	2	
38	O-ring 9,25x1,78	710901	4	
39	Screw MC6S 5x40	610405	4	Torque: 9,7Nm
40	Adapter 236-06-06	710131	1	For option ST, on Rotation b
41	Hose ST	7000323	2	

POS in order of assembly

ST:

