

# EC219 - Hydrema Top part ECHF

## COVERSHEET

### Planned document changes:

Breifly:

Add photos.


### Document changes:

Date: Change:

2019-01-21 New instruction.

Rev.  
after change:  
-

POS	DESCRIPTION	PART	QTY	COMMENTS
1	Top part Hydrema EC219	1023634	1	




**P** = 2  
**T** = 2

FEED:


3/4" (Std)

Main feed

Feed Left+Right




Feed Left (Standard)



POS	DESCRIPTION	PART	QTY	COMMENTS
2	Use washer, adapter, nut according to POS.3, 4, 5			QTY depends on terminal holes (2-3)
3	Washer NL 1"	611095	3	
4	Adapter 1260-12-12 (3/4")	712210	3	
5	Check nut 1270-12 (3/4")	712211	3	
6	Hose bridge All Left	7000801	1	
19	Attach feed hoses from control system			(a & b represents channels on feed block)

POS in order of assembly



# EC219 - Hydrema Top part ECHF

**engcon**<sup>®</sup>

Drawing No: 1051066 /-

**R** = 7

**L** = 11

**tilt** = 7

**E** = 15




**G** = 7

FEED:

3/4" (Std)

Rotation

Rot. Left+Right




POS	DESCRIPTION	PART	QTY	COMMENTS
7	Use washer, adapter, nut according to POS.8, 9, 10			QTY depends on terminal holes (2-6)
8	Washer NL 16mm	611044	2	
9	Adapter 1260-06-32 (3/8")	710242	2	
10	Check nut 1270-06 (3/8")	710252	2	
11	Use washer, adapter, nut according to POS.12, 13, 14			
12	Washer NL 1/2"	611096	2	
13	Adapter 1260-04-04 (1/4")	710240	2	
14	Check nut 1270-04 (1/4")	710250	2	
15	Use washer, adapter, nut according to POS.16, 17, 18			
16	Washer NL 20mm	611098	2	
17	Adapter 1260-08-08 (1/2")	710244	2	
18	Check nut 1270-08 (1/2")	710254	2	
19	Attach feed hoses from control system			(a & b represents channels on feed block)


POS in order of assembly

Lock (Option SQ)


Lock Right (Standard)



Lock Left+Right




Lock Left




Extra (Option SX)


Extra Right



Extra Left+Right




Extra Left (Standard)




Tilt (Option ST)


Tilt Right (Standard)



Tilt Left+Right




Tilt Left




Grab (Option SG)


Grab Right (Standard)



Grab Left+Right



Grab Left







FEED:

3/4" (Std)

POS	DESCRIPTION	PART	QTY	COMMENTS
6	Hose bridge All Left	7000801	1	
19	Attach feed hoses from control system			(a & b represents channels on feed block)

Feed Left+Right



FEED:

3/4" (Std)

POS	DESCRIPTION	PART	QTY	COMMENTS
19	Attach feed hoses from control system			(a & b represents channels on feed block)

Feed Left+Right

