

EC206 - QS45/QS50 Top part

COVERSHEET

Planned document changes:

Briefly:

No planned changes.

Document changes:

Date:

2020-06-10

Change:

New instruction.

Rev.


after change:

-

EC206 - QS45/QS50 Top part

POS	DESCRIPTION	PART	QTY	COMMENTS
1	Top part QS45 EC206	1028640	1	
2	Top part QS50 EC206	1030610	1	

POS in order of assembly



EC206 - QS45/QS50 Top part

- P** = 4
- T** = 4
- cap** = 5
- R** = 4

FEED
Top EC-Oil QS45

POS	DESCRIPTION	PART	QTY	COMMENTS
3	Plug 70125-06 (3/8")	711504	2	
4	Adapter 401-06-06 90° (3/8")	710152	4	
5	Use adapter, cap: POS.4, 6			
6	Protective cap 155-06 (3/8")	711626	2	
	Attach feed hoses from control system / rotator frame			(a & b represents channels on feed block)

POS in order of assembly

ss5, ss10

2 hyd. (Std)





4 Hyd.
2Bl.Feed

Right block

Left block

Right block

Left block






ss9

4 hyd. (Std)

Right block

Left block



EC206 - QS45/QS50 Top part





- P = 4
- T = 4
- cap = 5
- R = 7

FEED
Top EC-Oil QS50

ss5, ss10



2 hyd. (Std)

4 Hyd.
2Bl.Feed




ss9

4 hyd. (Std)







POS	DESCRIPTION	PART	QTY	COMMENTS
3	Plug 70125-06 (3/8")	711504	2	
4	Adapter 401-06-06 90° (3/8")	710152	4	
5	Use adapter, cap: POS.4, 6			
6	Protective cap 155-06 (3/8")	711626	2	
7	Use washers, banjo bolt: POS.8, 9			
8	Washer GBR06 3/8	710703	4	
9	Banjo bolt 4451-06 (3/8")	710272	2	
	Attach feed hoses from control system / rotator frame			(a & b represents channels on feed block)



EC206 - QS45/QS50 Top part

FEED
Top EC-Oil
ss5, ss10

POS	DESCRIPTION	PART	QTY	COMMENTS
10	Cable tie 7,8x360	1021587	1	
	Attach feed hoses from control system / rotator frame			(a & b represents channels on feed block)





Dashed lines for overview, mounts on other pages/assemblies. \ indicates instruction. represents hose.

POS in order of assembly

EC206 - QS45/QS50 Top part


FEED Top EC-Oil

ss5, ss10 2Bl.Feed



POS	DESCRIPTION	PART	QTY	COMMENTS
10	Cable tie 7,8x360	1021587	1	
	Attach feed hoses from control system / rotator frame			(a & b represents channels on feed block)

ss9 2Bl.Feed



Dashed lines for overview, mounts on other pages/assemblies. indicates instruction. represents hose.

POS in order of assembly