EC209B - Hitch QSM45

engcon®

COVERSHEET

Planned document changes:

Breifly:
No planned changes.

Document changes:

Date:	Change:	Rev. after change:
2026-11-05	Screws updated.	C
2023-12-07	Valve block screws must be tightened in cross pattern.	B
2023-05-03	O-ring for hitch updated. Photos updated.	A
2022-08-25	New document.	-

Readers note:


Indicates instruction.

Represents Hose.

Dashed lines for overview, mounts on other pages/assemblies.

EC209B - Hitch QSM45

engcon®




Exploded view
Block & Swivel

POS	DESCRIPTION	PART	QTY	COMMENTS
1	Quick hitch QSM45 V2 EC209B	1062324	1	
2	Grease the ring			
3	O-ring	7001663	1	
4	Feather Key	650101	6	
5	Screw MC6S M14x90 12.9 ZFSHL	6000158	18	Torque: 217Nm
6	Torque tighten rotator frame to hitch. Rotate to access all holes			
7	Pipe plug M26x1,5	650409	6	Part of rotator frame
8	Connect. block & swivel QSM Compl.	1056225	1	
9	O-ring 7,66x1,68 square	7000579	2	
10	O-ring 14x1,78 70 shore	710975	5	
17	Adapter 45° 402-04-04(1/4'')	7000104	4	Assemble before valve block
18	Washer GBR06 3/8	710703	11	
19	Adapter 136-06-06 (3/8'')	710106	2	
20	Adapter 135-04-06 (1/4''-3/8'')	710118	1	
21	Protective cap 155-04 (1/4'')	711625	1	
22	Cylindrical pin CPK ø10x24 m6	1020539	1	
23	Valve Block QSM	1052673	1	
24	Screw MC6S M10x50 12.9 ZFSHL	611515	4	Loxeal 83-52. Torque: 79Nm Tighten in cross pattern
25	O-ring 21,95x1,78	710983	2	(Incl. with valve block)
26	Slip ring QSM45 M12	8001015	1	Mount with marine silicone
27	Cover plate slip ring	1050384	1	
28	Screw K6S M5x10 10.9 FZB	6000408	4	
29	Rubber bushing	1046691	1	Use the outer ring. Washer down
30	Ring slip ring QSM	1046692	1	
31	Plate slip ring QSM	1046689	1	
32	Plate cable steering QSM	1046694	1	
33	Washer NL 6mm	611039	3	
34	Screw MC6S M6x20 8,8 FZB	610310	3	
48	Cover plate QSM45 magnet	1056107	1	
49	Hose hydraulic motor Short QSM	7001306	1	
50	Hose hydraulic motor Long QSM	7001307	1	

POS in order of assembly

Between swivel & valve block:




Photos on page 5.

EC209B - Hitch QSM45


engcon®

POS	DESCRIPTION	PART	QTY	COMMENTS
11	Washer NL 8mm	611040	4	QTY: 12 without EC-Oil
12	Screw MC6S M8x50 12.9	610439	4	
13	O-ring 12,42x1,7	710973	3	QTY: 5 without EC-Oil
14	Cover plate QSM45	1056687	2	
15	Screw MC6S M8x25 12.9 ZFSHL	6000143	2	Torque: 40Nm
16	Screw MC6S M8x70 12.9 ZFSHL	6000286	6	Torque: 40Nm


POS in order of assembly




EC-Oil 1bl.



Without EC-Oil





Exploded view


EC-Oil components


EC209B - Hitch QSM45


engcon®


POS	DESCRIPTION	PART	QTY	COMMENTS
18	Washer GBR06 3/8	710703	11	
35	Washer GBR04 1/4	710702	6	
36	Hose Lock C	7001280	1	
37	Hose Lock O	7001279	1	
38	Banjo bolt 4451-04 (1/4")	710271	2	
39	Adapter 135-02-04 (1/8"-1/4")	710103	2	
40	Washer GBR08 1/2	710704	8	
41	Adapter extension 1/2" QSM45	1053175	2	
42	Adapter 136-08-08 (1/2")	710108	2	
43	Quick coupling 1/2"	790115	4	
44	Dust Protection 1/2"	790121	4	
45	Adapter extension 3/8" QSM45	1053288	4	
46	Coupling ECO QSM 3/8" female V3	1055682	4	Loxeal 83-52. (POS.47 incl.)
47	Flat sealing for ECO 3/8" V3	1052976	4	


POS in order of assembly





















Exploded view


Std. Hitch components

Photos on page 5.

EC209B - Hitch QSM45


engcon®





POS	DESCRIPTION	PART	QTY	COMMENTS
36	Hose Lock C	7001280	1	
37	Hose Lock O	7001279	1	
49	Hose hydraulic motor Short QSM	7001306	1	
50	Hose hydraulic motor Long QSM	7001307	1	

POS in order of assembly



EC209B - Hitch QSM45

engcon®

RELATED SPARE PARTS

POS	DESCRIPTION	PART	QTY	COMMENTS
1	Quick hitch QSM45 V2 EC209B	1062324	1	

POS in order of assembly

Replaced by POS.1
from 2021-03

1052401

