

EC233 - S2 Top part

COVERSHEET

Planned document changes:

Briefly:

No planned changes.

Document changes:

Date:

Change:

Rev.


after change:

2018-06-25

New instruction.

-

EC233 - S2 Top part



POS	DESCRIPTION	PART	QTY	COMMENTS
1	Top part S2 EC233	1043561	1	
8	Shims S1 & S2	400069	3	(Included in Top part)
9	Screw M6S 12x20	610163	6	(Included in Top part)
10	Shims Stopper	401138	2	(Included in Top part)
11	Screw M6S 12x70	610172	4	(Included in Top part)
12	Shims 20 1mm	404512	1	Use if required (Spare part only)
13	Shims 20 2mm	404513	1	Use if required (Spare part only)
14	Shims 1mm	405153	1	Use if required (Spare part only)
15	Shims 2mm	405549	1	Use if required (Spare part only)

POS in order of assembly

EC233 - S2 Top part

P = 2
T = 2



FEED:

3/4" (Std)

Main feed

POS	DESCRIPTION	PART	QTY	COMMENTS
2	Use washer, adapter, nut according to POS.3, 4, 5			
3	Washer NL 1"	611095	2	
4	Adapter 2011-12 (3/4")	712227	2	
5	Bulkhead adapter nut	712211	2	
6	Attach feed hoses from control system			

POS in order of assembly




EC233 - S2 Top part


POS in order of assembly

FEED:
3/4" (Std)


POS	DESCRIPTION	PART	QTY	COMMENTS
6	Attach feed hoses from control system			
7	Cable tie 7,8x360	1021587	1	




Feed Left:




Feed Right:



Cable(s) Left



Cable(s) Right



Dashed lines for overview, mounts on other pages/assemblies.  indicates instruction.  represents hose.