

GRD60B
COVERSHEET

Planned document changes:

Breifly:

2026-02-05. Remove torque from POS.38. Update torque on POS.40 to torque:333.

Document changes:

Date:	Change:	Rev. after change:
2025-08-12	Carriers updated.	C
2024-02-13	Grab photos corrected.	B
2023-04-17	Washers for axles updated.	A
2023-02-28	New document.	-

Readers note:




Indicates instruction.



Represents Hose.




Dashed lines for overview, mounts
on other pages/assemblies.




POS	DESCRIPTION	PART	QTY	COMMENTS
1	Grab frame GRD60B	1068911	1	
2	Q-Block GRD20 V2	1055206	1	
3	ECO 45/50 3/8" male	1028873	2	Torque: 60Nm
4	Protection plug TECO60	7000154	2	
8	Linkhead female	1033284	2	
9	Linkhead male	1033283	2	Unscrew 4,5 turns from bottomed
10	Shoulder bolt 10x25 / M8	611703	4	Loxeal 83-52 against POS.2
11	Lock Nut M6M M8x1,25 8,8 FZB	610922	2	
12	Eccenter GRD60/SWD60	1037048	1	
13	Screw MC6S M12x25 12.9 ZFSL	6000164	4	Loxeal 83-52
14	Shim center carrier GRD60	1034333	1	
15	Center carrier GRD60	1034084	1	
16	Washer NL 10mm	611041	3	
17	Screw MC6S M10x30 12.9 Geomet	612018	3	
18	Carrier Left GRD60B	1079922	1	
19	Carrier Right GRD60B	1079923	1	
20	Washer NL 6mm	611039	2	
21	Screw MC6S M6x10 12.9 Geomet	611512	2	
22	Lock Nut M6M M12x1,75 8,8 FZB	610924	4	
23	Compression spring (6192)	1038209	2	
24	Lock pin GRD60	1034056	2	
25	Indexing plunger M16x1,5	6000061	1	
26	With Q-block retracted, lockpin must align with surface			
56	Punch serial no into frame			

POS	DESCRIPTION	PART	QTY	COMMENTS
5	Plug 70125-08 (1/2")	711500	2	
6	Washer GBR06 3/8	710703	6	
7	Adapter 236-06-06	710131	2	
27	Hose Grab Feed GRD-Q	7001059	2	
28	Banjo bolt 4451-06 (3/8")	710272	2	
29	Adapter 851-04-04 (1/4")	7000883	2	
30	Hose Grab Short	7000889	2	
31	Hose Grab Long	7000888	2	
32	Adapter 138-04-29 (1/4")	710135	4	
33	Washer GBR04 1/4	710702	4	

POS in order of assembly





POS	DESCRIPTION	PART	QTY	COMMENTS
13	Screw MC6S M12x25 12.9 ZFSHL	6000164	4	Loxreal 83-52
34	Grab arm GRD60 (single)	1031144	1	(POS.36 incl.)
35	Grab arm GRD60 (double)	1031147	1	(POS.36 incl.)
36	Bushing 40/50/55/5-30	631001	4	
37	Shim GDR60 56x40,5x1	1042067	4	Also used between grab arm and grab frame if required
38	Axle grab arm	1044793	2	Torque: 649Nm
39	Washer NL 30mm	6000122	2	
40	Nut M30	6000059	2	Torque: 649Nm
41	Grab cylinder Right/Left	1048549	2	
42	Axle cylinder	1068863	2	
43	Flat Washer	611010	2	
44	Screw M6S 20x25	6000054	2	Loxreal 83-52
45	Cylinder cover	1051368	2	
46	Washer NL 8mm	611040	6	
47	Screw MLC6S M8x16 10.9 FZB	6000220	4	
48	Axle grab arm/cylinder	1034640	2	
49	Sleeve axle	1034641	2	
50	Washer BRB 13x40x4	6000056	2	
51	Screw MC6S M8x16 12.9 ZFSHL	610432	2	
52	Grab support GRD60	1034063	1	
53	Screw MC6S M16x160 12.9 ZFSHL	6000166	2	
54	Washer BRB 17x30x3	611009	2	
55	Lock Nut M6M M16x2 8,8 FZB	610926	2	

POS in order of assembly

POS	DESCRIPTION	PART	QTY	COMMENTS
27	Hose Grab Feed GRD-Q	7001059	2	
30	Hose Grab Short	7000889	2	
31	Hose Grab Long	7000888	2	

POS in order of assembly

