

EC219 S60 ECHF

COVERSHEET

Planned document changes:


Breifly:

Plug POS.3 when used on the side of connection block:
Replaced by plug 7001657 used with 3/8" Tredo.
(Not replaced when used under connection block, plugging "Extra")

Document changes:


Date:	Change:	Rev. after change:
2018-09-13	Coversheet added.	A

EC219 S60 ECHF



POS	DESCRIPTION	PART	QTY	COMMENTS
1	See p.3 connection block config.			
9	Quick hitch S60	1017482	1	
10	Grease the ring			
11	O-ring 319,3x5,7	710908	1	
12	Feather Key	650102	6	
13	Socket Head Screw 20x90	610556	12	Torque: 649Nm
14	Torque tighten quick hitch to rotator frame, six holes. Rotate to access the remaining holes			
15	Pipe plug M36x2	650408	6	Part of rotator frame assembly
16	O-ring 6,07x1,78	712422	2	Part of rotator frame assembly
17	O-ring 12,42x1,78	710973	4	Part of rotator frame assembly
18	O-ring 15,6x1,78	710912	1	Part of rotator frame assembly
19	Connection block ECHF	1028391	1	Part of rotator frame assembly
20	Washer NL10	611041	2	Part of rotator frame assembly
21	Socket Head Screw 10x50	610457	1	Part of rotator frame assembly
22	O-ring 20,35x1,78 70 shore	710974	4	
23	Shim block 5mm ECHF	1035711	1	
24	Extra block 3/4" ECHF	1031934	1	
25	Socket Head Screw 10x90	610465	1	
26	Socket Head Screw 5x60	610409	2	
27	Plug	711532	2	QTY: 4 for EC219 Without Extra


Standard:



POS	DESCRIPTION	PART	QTY	COMMENTS
2	Pipe plug 1/4"	711508	2	Loctite 5400
3	Plug 3/8"	711504	4	QTY: 2 for Dbl.Extra
4	Plug 1/2"	711500	1	
5	Sealing washer 1/4"	710702	10	
6	Plug 1/4"	711505	4	
7	Adapter 1/4"	710135	1	
8	Adapter 90° 3/8"	710152	2	


POS in order of assembly

Dbl.Extra:



EC219 S60 ECHF


Lock:
Close




Lock:
Open



Extra:
Standard



Extra 2:
Option
Dbl.Extra






POS	DESCRIPTION	PART	QTY	COMMENTS
5	Sealing washer 1/4"	710702	10	
7	Adapter 1/4"	710135	1	
8	Adapter 90° 3/8"	710152	2	
28	Hose Lock Close	742801	1	
29	Banjobolt 1/4"	710271	2	
30	Hose Lock Open	742802	1	
31	Sealing washer 3/4"	710706	4	
32	Bulkhead adapter extended 3/4"	712227	2	
33	Adapter 703-12-12	710218	2	
34	Quick coupling 3/4"	790193	2	
35	Dust protection 3/4"	790195	2	
36	Adapter 45°	710164	2	
37	Sealing washer 3/8"	710703	2	
38	Quick coupling 3/8"	790113	2	
39	Dust protection 3/8"	790120	2	
40	Adapter 90°	710151	1	

POS in order of assembly

Standard Extra:



Dbl.Extra:



See subheading,
Standard components

POS	DESCRIPTION	PART	QTY	COMMENTS
28	Hose Lock Close	742801	1	
30	Hose Lock Open	742802	1	

POS in order of assembly



Dbl.Extra: