

EC209 - Central lubrication

COVERSHEET

Planned document changes:

Briefly:

On photo page: replace POS.8 by 711403.


Correct part no for POS.3: 712216.

Hose kit replaced by free length hose (7000784).

Document changes:


Date:	Change:	Rev. after change:
2022-03-18	Plug on L-adapter positioned.	B
2020-11-26	Details for hose 3A updated. Spare parts page added.	A
2020-06-17	New instruction.	-

EC209 - Central lubrication



POS	DESCRIPTION	PART	QTY	COMMENTS
1	Central lubrication is applied alongside rotator frame assembly			See "Rotator frame"
2	Lubrication kit v2 EC209 Complete	1059026	1	(POS.3-7, 9-10 included)
3	Adapter Straight 1/8"-1/8" -18mm	7000403	1	
4	Adapter 90° R1/8"	710199	6	
5	Adapter 45° R1/8"	712215	2	
6	Push-in koppl EC209 R1/8"	790172	7	
7	Adapter 90° Push-in - swivel	790184	1	
8	Plug 70125-02 (1/8")	711503	3	QTY: 2 part of rotator frame
9	Hose kit Lubrication v2	7001388	1	
10	Dosing block MX-F 4/8 (v2)	1059025	1	(POS.8, 11-15 included)
11	Push-in Coupling 6mm	790188	8	
12	Adapter 90° M10x1	790190	1	
13	Extender M10x1-M10x1 35mm	7000684	1	
14	L-adapter S2070 1/8-1/8	7001309	1	
15	Grease Nipple	711403	1	
16	Bracket 209 grease	1021695	1	Part of rotator frame assembly
17	K6S M5x35 10.9 untreated	6000231	3	Part of rotator frame assembly
18	Washer NL 8mm	611040	2	Part of control system assembly
19	MC6S M8x90 12.9	610444	2	Part of control system assembly

POS in order of assembly





Dashed lines for overview, mounts on other pages/assemblies. indicates instruction. represents hose.

EC209 - Central lubrication


POS	DESCRIPTION	PART	QTY	COMMENTS
3	Adapter Straight 1/8"-1/8" -18mm	7000403	1	
4	Adapter 90° R1/8"	710199	6	
5	Adapter 45° R1/8"	712215	2	
6	Push-in koppl EC209 R1/8"	790172	7	
7	Adapter 90° Push-in - swivel	790184	1	
8	Plug 70125-02 (1/8")	711503	3	QTY: 2 part of rotator frame
9	Hose kit Lubrication v2	7001388	1	

POS in order of assembly





3A on page 4.

EC209 - Central lubrication



POS	DESCRIPTION	PART	QTY	COMMENTS
20	Use cable ties			
21	Temporarily attach pressure reduction block			Part of control system assembly

POS in order of assembly



Dashed lines for overview, mounts on other pages/assemblies. \ indicates instruction. represents hose.

EC209 - Central lubrication

Related spare parts

POS	DESCRIPTION	PART	QTY	COMMENTS
4	Adapter 90° R1/8"	710199	6	
7	Adapter 90° Push-in - swivel	790184	1	

POS in order of assembly

3A until 2020-12

